

24-1/2" x 35-1/2"

Welcome Wall Hanging

Shown in the Folk Blossoms collection by Connecting Threads®

Fat Quarters:



8757 Flora Dk Patriot Blue



8766 Stipple Kelly



Olive



8760 Circled Hearts Kelly



6711 Swirls Red



8501 Chambray Lt Denim



Denim



8504 Chambray Lt Tomato



Mustard



Red



6701 Faux Burlap Moss



Red



Backing: An additional 1-1/4 yards

6692 Faux Burlap Denim



8756 Folksy Red



3878 Mirage Pioneer



8761 Circled Hearts Mustard



8762 Circled Hearts Natural

I/4 ydFabric 4



3882 Mirage Tea Dyed

I/2 ydFabric 18



3902 Mirage Cream

1/2 yd Fabric 7



3891 Mirage Avocado

I/2 ydFabric 13

Note: The fabrics listed are the ones used in the wall hanging as shown in the above illustration. Some fabrics are placed differently and yardage amounts vary slightly from the original pattern. Examples are: Fabric 4 (background behind Welcome) and Fabric 13 (binding). It is not necessary to follow the fabric suggestions in the pattern exactly. Depending what looks best with the fabrics you choose - and since there are so many fabrics to choose from - your fabric placement may be different too.

www.connectingthreads.com 991653





Welcome Wall Hanging Summer



Fabrics Used



2377 Hometown Red



2411 Tonal Fern FQ



2371 **Bottle Rocket** Red



2367 Fireworks Marine



2375 Sparklers Marine 1/2 yard



2382 Parchment Ecru 1/2 yard



2366 Fireworks



2410 Tonal Chestnut

2270 Hammock Olive







2378 Hometown

Backing: Scrappy or an additional I yard

2383 Old Glory Red



Bottle Rocket Marine 1/2 yard



2374 Sparklers Red 1/2 yard



2370 Star Spangled Marine



2380 Parchment



© Copyright Connecting Threads®. All rights reserved.

For private, non-commercial use only. Please see our website for terms of use. www.connectingthreads.com.

Welcome Wall Hanging summer

by Darlene Jewell-Wallhood for Connecting Threads

Pattern Basics

We encourage breaking the rules, but here are a few things you might want to keep in mind:

- Please read through all the instructions carefully before beginning a project. Every effort has been made to ensure the accuracy of this pattern.
- All instructions use a 1/4" seam allowance unless otherwise stated.
- Need help with any of the techniques used?
 Check out our free tutorials and videos at http://quiltwithus.connectingthreads.com


Common Quilting Acronyms:


FQ = fat quarter (~18" x 22")
FE = fat eighth (~18" x 11")
WOFQ = width of fat quarter
WOF = width of fabric

WS = wrong side of fabric RS = right side of fabric HST = half square triangle




Approx. finished size: 24-1/2" x 35-1/2"





Flying Geese Row:

of A's. Trim seam allowances and press.



Make 8 $3-1/2" \times 6-1/2"$


Sew **H**'s, on the marked diagonal lines, to opposite ends 2. Sew all eight of the flying geese units together as shown.




House Row:

Note: You will be making 3 different houses using fabric 6 for windows, and fabrics 5, 16, and 20 for the doors. The directions are the same for each house.

I. Sew L's, on the marked diagonal lines, to opposite ends of B's. Trim seam allowances and press.




2. Sew the flying geese roof tops together.



3. Sew J's, F's, and I's together.




4. Sew **K**'s to the top and bottome of the long unit of **J**'s, **F**'s, and **I**'s.



5. Sew **M**'s to the bottoms of the short **J/F/J** units. Sew the two units to opposite sides of **D**.




6. Sew the three houses together. Sew the roof tops to the top of the houses.




Tree Row:

Foundation Piecing Tips:

- I. Use a 12-14 sharp needle.
- 2. Use pins or fabric glue to hold the fabric in place before stitching.
- 3. Decrease stitch length to 20 stitches per inch and always stitch a few stitches beyond the solid line. This will make removing the paper a little easier and prevent unraveling of seams.
- 4. Remove foundation paper in the seams when joining two units together.
- 5. Do not remove the remaining paper until the blocks are sewn together.
- * Cut at least 1/2" wider and longer than the section you will be covering. These will be trimmed to size later.
- 1. Make 5 copies of the foundation template on page 5 for the tree row.
- 2. Place the fabric to be foundation pieced, right sides up on the wrong side of the foundation paper. Stitch in numerical order. Stitch on the solid lines from the right side of the foundation paper and trim each seam allowance, after stitching, to 1/4". Press open before adding the next piece.





Join C-2 to C-1 on this seamline

T

U

T


1/4" seam allowance


1/4" seam allowance


Foundation Template C-2

Size Check
When making copies,
this square should
measure I"× I"

Remember you will be sewing on the printed side of the foundation paper and the fabric will be placed on the back side of the paper, wrong sides against the foundation paper.








- 3. Press and trim, leaving a 1/4" seam allowance (included on the template).
- 4. Sew C-I and C-2 together as shown.



5. Sew trees together. Sew N's to opposite ends of the trees.








NOTE: Please add seam allowances if you will be using needle turn appliqué. If you will be using fusible web on the templates, remember to reverse them so they will be going in the correct direction when appliquéd.

Size Check

When making copies, this square should measure I"x I"



Welcome Row:

1. Using your favorite method of appliqué, appliqué the lettering to **G**.

Heart Row:

Foundation Piecing Tips:

- 1. Use a 12-14 sharp needle.
- 2. Use pins or fabric glue to hold the fabric in place before stitching.
- Decrease stitch length to 20 stitches per inch and always stitch a few stitches beyond the solid line. This will make removing the paper a little easier and prevent unraveling of seams.
- 4. Remove foundation paper in the seams when joining two units together.
- 5. Do not remove the remaining paper until the blocks are sewn together.
- 6. Trim seams as they are sewn to reduce bulk.

*Cut at least 1/2" wider and longer than the section you will be covering. These will be trimmed to size later.

- I. Make 6 copies of the foundation template on page 6 for the heart row.
- 2. Place the fabric to be foundation pieced, right sides up on the wrong side of the foundation paper. Stitch in numerical order. Stitch on the solid lines from the right side of the foundation paper and trim each seam allowance, after stitching, to 1/4". Press open before adding the next piece.
- 3. Sew all the heart blocks together in a row as shown.

Finishing:

- 1. Sew all the rows together.
- Layer backing, batting and top wrong sides together and quilt as desired.
- 3. Sew binding on using a 1/4" seam allowance.

Welcome



